



Spraying Catalogue

2027-2028

**DESIGNED & BUILT
IN AUSTRALIA**







Meet Graytill

Graytill is a family owned business manufacturing machinery for the agricultural industry.

Graytill was established in 2011. We pride ourselves on manufacturing custom sprayers to meet individual farmers' needs.

This catalogue is a snapshot of the products that Graytill manufactures. We strive to achieve our motto:

“EFFICIENCY THROUGH DESIGN”

Contents

SmartBoom

Page 5

Truck Mounted SmartBoom	6
Ute Mounted SmartBoom	8
Trailed SmartBoom	10
Ute Mounted SmartBoom with integrated SmartSpray	12
Wing Options	14
Rate Controller Options	15
Custom SmartBoom	16

SmartSpray

Page 17

Twin Reel SmartSpray	18
Single Reel SmartSpray	20
Dual Cab SmartSpray	22
UTV SmartSpray	24
Trailed SmartSpray	26
SmartSpray Boom	28
Hydraulic SmartSpray Reel	30
Custom SmartSpray	31

Weed Wiper

Page 32

3M Weed Wiper	33
Ute Weed Wiper	34
Tractor Weed Wiper	36

VersiVolt

Page 38

SmartFire

Page 40

Standard Features

Page 42

Spare Parts

Page 43

SmartBoom

SmartBoom is the all purpose boom spray. It is available in truck mounted, ute mounted and trailed configurations.

- ✓ Fully welded and powder coated frame for maximum durability
- ✓ Mid mounted self levelling boom
- ✓ Nozzles shielded by boom to prevent damage
- ✓ Kohler engine mounted to Bertolini pump
- ✓ Ladder and access way to tanks
- ✓ Jack stands
- ✓ Road legal transport width



Truck Mounted SmartBoom

STANDARD FEATURES

- ✓ Standard widths from 15m to 24m
- ✓ Hydraulic boom lift, fold and tilt
- ✓ Self lubricating pivots and slides
- ✓ Ball bearing breakaways
- ✓ Auto-reset outer breakaways
- ✓ Low profile full sump tank
- ✓ 5 section plumbing
- ✓ Topcon X25 with ARAG IBX100 Isobus rate and section controller
- ✓ Air induction nozzles
- ✓ Shielded nozzles
- ✓ Stainless steel spray lines
- ✓ Electric fenceline nozzles
- ✓ Direct fill/Drain point
- ✓ Engine oil drain tap
- ✓ Petrol container
- ✓ Battery
- ✓ Hour meter/Tachometer
- ✓ Agitator
- ✓ Tank rinse nozzle



OPTIONAL FEATURES

- ✓ Venturi fill and floating filter with 7m hose
- ✓ Fill pump
- ✓ Manual pressure controller
- ✓ Seletron individual nozzle control
- ✓ Flush/hand wash tank
- ✓ Auto steer
- ✓ Chemical induction probe
- ✓ Chemical induction hopper
- ✓ In cab air filtration system
- ✓ Integrated SmartSpray Reel
- ✓ Large range of tank sizes available
- ✓ Complete custom build

Ute Mounted SmartBoom



STANDARD FEATURES

- ✓ Standard widths from 10m to 14m
- ✓ 2m transport width
- ✓ Electric boom lift with adjustable limit stops
- ✓ Self lubricating pivots and slides
- ✓ Manual folding wings
- ✓ Ball bearing breakaways
- ✓ Auto-reset outer breakaways
- ✓ Low profile full sump tank
- ✓ 3 section plumbing
- ✓ Topcon ID1 with ARAG IBX100 Isobus rate and section controller
- ✓ Air induction nozzles
- ✓ Shielded nozzles
- ✓ Stainless steel spray lines
- ✓ Electric fenceline nozzles
- ✓ Direct fill/Drain port
- ✓ Engine oil drain tap
- ✓ Petrol container
- ✓ Battery
- ✓ Hour meter/Tachometer
- ✓ Agitator
- ✓ Tank rinse nozzle



OPTIONAL FEATURES

- ✓ Venturi fill and floating filter with 7m hose
- ✓ Manual pressure controller
- ✓ Seletron individual nozzle control
- ✓ 100L flush/hand wash tank
- ✓ Chemical induction probe
- ✓ Chemical induction hopper
- ✓ In cab air filtration system
- ✓ Hydraulic wing tilt
- ✓ Hydraulic wing fold
- ✓ Integrated SmartSpray Reel
- ✓ Large range of tank sizes available
- ✓ Complete custom build

Trailed SmartBoom

STANDARD FEATURES

- ✓ Standard widths from 10m to 24m
- ✓ 2.4m transport width
- ✓ Hydraulic boom lift with nitrogen accumulator
- ✓ Self lubricating pivots and slides
- ✓ Manual folding wings
- ✓ Ball bearing breakaways
- ✓ Auto-reset outer breakaways
- ✓ Low profile full sump tank
- ✓ 3 section plumbing
- ✓ ARAG IBX100 Isobus
- ✓ Air induction nozzles
- ✓ Shielded nozzles
- ✓ Stainless steel spray lines
- ✓ Electric fenceline nozzles
- ✓ Direct fill/Drain port
- ✓ Engine oil drain tap
- ✓ Petrol container
- ✓ Battery
- ✓ Hour meter/Tachometer
- ✓ Agitator
- ✓ Tank rinse nozzle
- ✓ High ground clearance
- ✓ Trailer lights



OPTIONAL FEATURES

- ✓ Venturi fill and floating filter with 7m hose
- ✓ Manual pressure controller
- ✓ Seletron individual nozzle control
- ✓ Flush/hand wash tank
- ✓ Engine or hydraulic drive pump
- ✓ Fill pump
- ✓ Chemical induction probe
- ✓ Chemical induction hopper
- ✓ Hydraulic wing tilt
- ✓ Hydraulic wing fold
- ✓ Integrated SmartSpray Reel
- ✓ Large range of tank sizes available
- ✓ Complete custom build

Ute Mounted SmartBoom with Integrated SmartSpray

(twin or single reels)

STANDARD FEATURES

- ✓ Standard widths 10m to 14m
- ✓ 2m transport width
- ✓ Electric boom lift with adjustable stops
- ✓ Mechanically driven reels for maximum pulling power
- ✓ Bolt-on lugs for permanent mounting
- ✓ Self lubricating pivots and slides
- ✓ Manual folding wings
- ✓ Ball bearing breakaways
- ✓ Auto-reset outer breakaways
- ✓ Low profile full sump tank
- ✓ 3 section plumbing
- ✓ Topcon ID1 with ARAG IBX100 Isobus rate and section controller
- ✓ Air induction nozzles
- ✓ Shielded nozzles
- ✓ Stainless steel spray lines
- ✓ Electric fenceline nozzles
- ✓ Direct fill/Drain port
- ✓ Engine oil drain tap
- ✓ Petrol container
- ✓ Battery
- ✓ Hour meter/Tachometer
- ✓ Agitator
- ✓ Tank rinse nozzle
- ✓ Turbo 400 adjustable spray gun
- ✓ Drip-free gun holders with locking pin
- ✓ Stainless steel flexible antenna with spring
- ✓ Venturi fill and floating filter with 7m hose



OPTIONAL FEATURES

- ✓ Manual pressure controller
- ✓ Seletron individual nozzle control
- ✓ 100L or 150L flush/hand wash tank
- ✓ Chemical induction probe
- ✓ Hydraulic wing tilt
- ✓ Hydraulic wing fold
- ✓ Tank baffles
- ✓ Fire hose
- ✓ Boomless jet
- ✓ Large range of spray guns
- ✓ Complete custom build

WING OPTIONS

1. Hydraulic Fold

- ✓ Hydraulic fold allows the boom to be fully folded using the joystick that integrates with the Topcon ID1 and ARAG IBX100 Isobus rate and section controller. All folding operations are carried out from within the cab, saving time and increasing operator safety.
- ✓ The outer wings on the boom spray fold vertically for a more compact design allowing for more room on the vehicle for clear access and increased storage around the boom spray.
- ✓ Hydraulic fold also features hydraulic wing tilt. See below for further details.



2. Hydraulic Wing Tilt

- ✓ Hydraulic wing tilt allows the wings to be tilted vertically for better contour following around hillsides and to clear obstacles.
- ✓ The joystick controller is fully integrated with the Topcon ID1 and ARAG IBX100 Isobus rate and section controller, allowing full operation from within the cab for the hydraulic wing tilt, however the wings need to be manually folded for transport.
- ✓ Hydraulic wing tilt features nitrogen accumulators for shock absorption of boom spray wing movement when driving around the paddock for a smoother ride, and reduced stress on the boom.



3. Manual Fold

- ✓ Manual folding of the boom spray wings features horizontal folding requiring less effort when folding the wings for transport, reducing operator fatigue.
- ✓ The ball bearing breakaways provide positive location when in operation but swing freely when broken, allowing for ease of manual folding and reduced stress on the frame.
- ✓ The self lubricating pivot points require no grease, reducing time spent on boom spray maintenance.



RATE CONTROLLER OPTIONS

1. Seletron Individual Nozzle Control

- ✓ The Seletron individual nozzle control works in conjunction with the Topcon ID1 and ARAG IBX100 Isobus rate and section controller to automatically shut off individual nozzles, virtually eliminating overlap, reducing chemical costs and minimising the impact on the environment.
- ✓ The Seletron system is particularly beneficial in small or irregular shaped paddocks, where it allows the operator to drive the most efficient path, without having to worry about overlapped or missed areas.



2. Topcon ID1 and ARAG IBX100 Isobus Rate and Section Controller

- ✓ The Topcon ID1 and ARAG IBX100 Isobus rate and section controller system is an all in one GPS, rate controller, and auto section controller. It allows the operator to drive at varying speeds to suit the terrain, automatically adjusting the control valve to maintain a constant spray rate.
- ✓ The Topcon ID1 and ARAG IBX100 Isobus rate and section controller system allows the boom to be divided into 3 sections as standard, and will automatically shut off individual sections to reduce overlapping.
- ✓ Spray jobs can be copied onto a personal computer to be viewed for proof of chemical placement, or prescription maps can be loaded into the Topcon ID1 for variable rate application.



3. Manual Pressure Control

- ✓ The spraying pressure is set via the manual pressure regulator and a constant vehicle speed must be maintained to ensure an accurate spray rate is applied.
- ✓ The manual pressure control is a simple, no computer, pressure based control system to control the chemical spray rate.
- ✓ Stand alone GPS and foam marker units are available to complement the manual controller.



Custom SmartBoom



SmartBoom with integrated SmartSpray with boomless jet.



Hydraulic fold ute mounted SmartBoom.



15.5m hydraulic fold and wing tilt truck mounted SmartBoom. Custom built to suit Mitsubishi Canter.



18.5m rear mount hydraulic fold SmartBoom. Custom built to suit Man truck.



15m rear mount SmartBoom with 4 chemical tanks and 2 lockable storage cages.



Single sided boom spray for irrigation channel spraying.

SmartSpray



SmartSpray – The Smarter Way to Spray.
SmartSpray sprayers are available in
ute, UTV or trailed models
with either single or twin reels.

- ✓ Fully welded and powder coated frame for maximum durability
- ✓ Single and twin reel versions
- ✓ Mechanically driven reels for maximum pulling power
- ✓ Tie-down and lifting points for true slip-on performance
- ✓ Bolt-on lugs for permanent mounting
- ✓ Jack stands
- ✓ Kohler engines and Bertolini pumps
- ✓ Boomless spray jet to cover larger areas quickly
- ✓ Large storage basket

Twin Reel SmartSpray



STANDARD FEATURES

- ✓ Mechanically driven reels
- ✓ Gear driven pump and clutches
- ✓ 2 x 100m SmartSpray anti-kink hose
- ✓ 600L tank
- ✓ Turbo 400 adjustable spray gun
- ✓ 2 nozzle 6m-9m boomless spray jet with remote solenoid
- ✓ Drip-free gun holders with locking pin
- ✓ Stainless steel flexible antenna with spring
- ✓ Storage basket
- ✓ Venturi fill and floating filter with 7m hose
- ✓ Direct fill point for external pumps
- ✓ Engine oil drain tap
- ✓ Hour meter/Tachometer
- ✓ Petrol container
- ✓ Jack stands



OPTIONAL FEATURES

- ✓ 150m, 200m or 300m SmartSpray anti-kink hose
- ✓ 800L, 1,000L or 1,200L tank
- ✓ Tank baffles
- ✓ Forklift slippers
- ✓ 35L wash tank
- ✓ Fire hose
- ✓ 7m-12m 3 nozzle boomless jet
- ✓ Large range of spray guns
- ✓ Diesel engine
- ✓ 7.5m or 10m SmartSpray Boom
- ✓ Lifting hook

Single Reel SmartSpray



STANDARD FEATURES

- ✓ Mechanically driven reels
- ✓ 100m SmartSpray anti-kink hose
- ✓ 600L tank
- ✓ Turbo 400 adjustable spray gun
- ✓ 2 nozzle 6m-9m boomless spray jet with remote solenoid
- ✓ Drip-free gun holder with locking pin
- ✓ Stainless steel flexible antenna with spring
- ✓ Storage basket
- ✓ Venturi fill and floating filter with 7m hose
- ✓ Direct fill point for external pumps
- ✓ Engine oil drain tap
- ✓ Hour meter/Tachometer
- ✓ Petrol container
- ✓ Jack stands



OPTIONAL FEATURES

- ✓ 150m or 200m SmartSpray anti-kink hose
- ✓ 400L tank
- ✓ Tank baffles
- ✓ Forklift slippers
- ✓ 35L wash tank
- ✓ Fire hose
- ✓ 7m-12m 3 nozzle boomless jet
- ✓ Large range of spray guns
- ✓ Diesel engine
- ✓ 7.5m or 10m SmartSpray Boom
- ✓ Lifting hook

Dual Cab SmartSpray



STANDARD FEATURES

- ✓ Available in either twin or single reel configuration
- ✓ Mechanically driven reels
- ✓ Gear driven pumps and clutches
- ✓ 100m SmartSpray anti-kink hose
- ✓ 500L tank
- ✓ Turbo 400 adjustable spray gun
- ✓ 2 nozzle 6m-9m boomless spray jet with remote solenoid
- ✓ Drip-free gun holders with locking pin
- ✓ Storage basket
- ✓ Stainless steel flexible antenna with spring
- ✓ Venturi fill and floating filter with 7m hose
- ✓ Direct fill point for external pumps
- ✓ Engine oil drain tap
- ✓ Hour meter/Tachometer
- ✓ Petrol container
- ✓ Jack stands



OPTIONAL FEATURES

- ✓ 150m or 200m SmartSpray anti-kink hose
- ✓ 300L or 600L tank
- ✓ Tank baffles
- ✓ Forklift slippers
- ✓ 35L wash tank
- ✓ Fire hose
- ✓ 7m-12m 3 nozzle boomless jet
- ✓ Large range of spray guns
- ✓ Diesel engine
- ✓ 7.5m or 10m SmartSpray Boom
- ✓ Lifting hook

UTV SmartSpray



STANDARD FEATURES

- ✓ Single reel configuration
- ✓ Mechanically driven reel
- ✓ 100m SmartSpray anti-kink hose
- ✓ 300L tank
- ✓ Turbo 400 adjustable spray gun
- ✓ 2 nozzle 6m-9m boomless spray jet with solenoid
- ✓ Drip-free gun holder with locking pin
- ✓ Hour meter/Tachometer
- ✓ Stainless steel flexible antenna with spring
- ✓ Venturi fill and floating filter with 7m hose
- ✓ Direct fill/drain point for external pumps
- ✓ Engine oil drain tap
- ✓ Tank baffles
- ✓ Petrol container



OPTIONAL FEATURES

- ✓ Forklift slippers
- ✓ Fire hose
- ✓ Large range of spray guns

Trailed SmartSpray



STANDARD FEATURES

- ✓ Available in either twin or single reel configuration
- ✓ Mechanically driven reels
- ✓ Gear driven pump and clutches
- ✓ 100m SmartSpray anti-kink hose
- ✓ 600L tank
- ✓ 2 nozzle 6m-9m boomless spray jet with remote solenoid
- ✓ Drip-free gun holders with locking pin
- ✓ Stainless steel flexible antenna with spring
- ✓ Storage basket
- ✓ Venturi fill and floating filter with 7m hose
- ✓ Direct fill point for external pumps
- ✓ Electric brakes
- ✓ 14" wheels on tandem axle
- ✓ High ground clearance
- ✓ Trailer lights
- ✓ Petrol container
- ✓ Engine oil drain tap
- ✓ Hour meter/Tachometer



OPTIONAL FEATURES

- ✓ 150m or 200m SmartSpray anti-kink hose
- ✓ 800L, 1,000L or 1,200L tank
- ✓ Tank baffles
- ✓ 35L wash tank
- ✓ Fire hose
- ✓ 3 nozzle 7m-12m boomless jet
- ✓ Large range of spray guns
- ✓ Diesel engine
- ✓ 7.5m or 10m SmartSpray Boom
- ✓ 16" wheels on single axle

SmartSpray Boom

STANDARD FEATURES

- ✓ 7.5m or 10m wide
- ✓ Runs off boomless jet solenoid
- ✓ Manual folding wings
- ✓ Self levelling
- ✓ Winch operated height adjustment
- ✓ Air induction nozzles
- ✓ Shielded nozzles
- ✓ Stainless steel spray lines
- ✓ Suits all SmartSpray sprayers
- ✓ Easily adapted to suit other sprayers
- ✓ Ball bearing breakaways





OPTIONAL FEATURES

- ✓ Manual pressure controller with gauge
- ✓ Single section motorised control valve
- ✓ 3 section motorised control valve
- ✓ Auto rate control with GPS and auto section control
- ✓ GPS guidance
- ✓ Manual fenceline nozzles
- ✓ Electric fenceline nozzles
- ✓ Large range of nozzles available



Hydraulic SmartSpray Reel



STANDARD FEATURES

- ✓ 100m SmartSpray anti-kink hose
- ✓ Turbo 400 adjustable spray gun
- ✓ Single reel, remote rewind
- ✓ Bolt-down lugs
- ✓ Drip-free gun holder with locking pin
- ✓ Stainless steel flexible antenna with spring
- ✓ Powerful hydraulic motor to assist the operator up hills

OPTIONAL FEATURES

- ✓ Multiple reels
- ✓ 150m or 200m SmartSpray anti-kink hose

Custom SmartSpray



Single axle trailed SmartSpray.

Twin Reel SmartSpray to suit dual cab tray with diesel engine, 10m SmartSpray Boom and triple nozzle boomless jet.



Twin Reel SmartSpray with fire hose.

300m Hydraulic Drive SmartSpray Reel with 12m boomless jet boom to suit existing sprayer.



Twin reel SmartSpray, mine spec with battery isolator, E stop, diesel engine and 35L hand wash

Weed Wiper

Weed Wiper is designed to wipe chemical onto all plants growing above a set height, allowing selective herbicide application in any situation where the weeds are taller than the pasture or crop.

It provides the targeted benefits of spot spraying with the convenience of boom spraying.

- ✓ Fully welded and powder coated frame for maximum durability
- ✓ In cab roller and pump control
- ✓ 200mm to 800mm adjustable height
- ✓ Electric driven rollers
- ✓ Super heavy duty LandCruiser tyres



3m Weed Wiper



STANDARD FEATURES

- ✓ 3m working width
- ✓ 3.4m overall width
- ✓ Adjustable height from 200mm to 800mm
- ✓ Super heavy duty LandCruiser tyres
- ✓ Manual height adjustment
- ✓ 100L chemical tank
- ✓ Electric driven roller

Ute Weed Wiper

STANDARD FEATURES

- ✓ 4m working width
- ✓ 2.5m transport width
- ✓ Adjustable height from 200mm to 800mm
- ✓ Contour following wings
- ✓ Super heavy duty LandCruiser tyres
- ✓ Manual height adjustment
- ✓ 100L chemical tank
- ✓ Fully road legal
- ✓ Ball bearing breakaways
- ✓ Electric driven rollers
- ✓ Torsion bar suspension for smooth road transport



Tractor Weed Wiper



STANDARD FEATURES

- ✓ 6m or 8m working width
- ✓ 2.6m transport width
- ✓ Adjustable height from 200mm to 1200mm
- ✓ Contour following wings
- ✓ Super heavy duty LandCruiser tyres
- ✓ Hydraulic height adjustment
- ✓ 200L chemical tank
- ✓ Hydraulic fold wings
- ✓ Electric driven rollers
- ✓ Hydraulic accumulator suspension for smooth road transport



VersiVolt





STANDARD FEATURES

- ✓ Heavy duty tank
- ✓ Baffles integrated into tank
- ✓ Carry handles
- ✓ Delavan 12V chemical pump
- ✓ Sight glass
- ✓ 20m retractable reel
- ✓ Drain plug
- ✓ Integrated tie-down moulding
- ✓ Heavy gauge cable with inline fuse, battery terminals and quick release plugs
- ✓ **Optional Feature:** Boomless jet

SmartFire



STANDARD FEATURES

- ✓ Mechanically driven remote rewind reel
- ✓ Kohler 9.5hp petrol engine with Davey twin impeller pump
- ✓ 30m 1" fire resistant hose
- ✓ 600L tank
- ✓ Tie-down lugs
- ✓ Bolt-down lugs
- ✓ Jack stands
- ✓ Protek 361 spray nozzle
- ✓ Stainless steel flexible antenna with spring
- ✓ Storage basket
- ✓ Suction hose with floating filter
- ✓ Hour meter/Tachometer
- ✓ Petrol container



OPTIONAL FEATURES

- ✓ Up to 35m 1" fire resistant hose
- ✓ Up to 50m 3/4" fire resistant hose
- ✓ 800L, 1,000L or 1,200L tank
- ✓ Tank baffles
- ✓ Forklift slippers
- ✓ Large range of spray nozzles
- ✓ Diesel engine
- ✓ Foam injection
- ✓ Work light
- ✓ Anderson plug
- ✓ 1" auxillary outlet

Standard Features

Boomless Jet

The 2 nozzle boomless jet is standard on all SmartSpray sprayers and an optional extra on all VersiVolt sprayers. Depending on the working pressure, it will spray between 6m and 9m wide. The extra coarse droplets minimise drift and produce an even spray distribution. Each nozzle can be turned off independently allowing a single side to be sprayed. An optional 3 nozzle boomless jet is available on all SmartSpray sprayers. It allows for a wider spray coverage, with the added benefit of splitting the jet into 3 sections.



Jack Stands

All engine driven sprayers are supplied with jack stands. The jack stands slide into each corner of the sprayer and raise the sprayer off the vehicle. The jack stands are raised and lowered using the supplied handles, or a cordless drill with 19mm socket.



Venturi Fill and Floating Filter

Standard on all SmartSpray sprayers, and optional on all SmartBoom sprayers, the venturi fill allows the sprayer to be filled out of a dam or other reservoir. The sprayer requires enough water left in the tank for the pump to prime, and then it will fill the tank at up to 100L/min. Using the venturi fill protects the pump's diaphragms and will lengthen the service life of the pump.



Petrol Container

All engine driven sprayers are supplied standard with a petrol container. The non-spill spout allows the petrol container to be turned completely upside down without spilling petrol, making refuelling safe and easy.



Drip-Free Gun Holders

All SmartSpray sprayers feature drip-free gun holders. A tap at the bottom allows the holders to be drained. A locking pin prevents the guns from bouncing out during travel.



Oil Drain

Standard on all sprayers, the oil drain tap makes oil changes quick and easy. The tap is spring loaded to prevent accidental opening, and the supplied hose allows the oil to be drained without removing the sprayer from the vehicle.



Hour Meter

Standard on all engine driven sprayers, the combination hour meter/tachometer provides a digital readout of engine RPM when running, and displays engine hours when the engine is stopped, making it easy to keep track of service intervals.



Spare Parts

PUMPS

1. High Pressure Pumps

PA530

- ✓ Three piston semi-hydraulic diaphragm pump - 40 bar, 54LPM

PA330

- ✓ Three piston semi-hydraulic diaphragm pump - 40 bar, 34LPM

2. Low Pressure Pumps

CP2073

- ✓ Three piston semi-hydraulic diaphragm pump - 15 bar, 75LPM

CP2136

- ✓ Three piston semi-hydraulic diaphragm pump - 15 bar, 126LPM

CP2073 with Kohler 7hp Engine

- ✓ Three piston semi-hydraulic diaphragm pump - 15 bar, 75LPM

DIAPHRAGM REPAIR KITS AVAILABLE FOR ALL PUMPS

3. 12V Pumps

- ✓ 11 LPM, 80psi

- ✓ 19 LPM, 60psi



Shop online: www.graytill.com.au

TANKS

We stock and supply a large range of tanks.



SmartBoom COMPONENTS

- ✓ Nozzles
- ✓ Nozzle Bodies
- ✓ Valves
- ✓ Filters
- ✓ Hose Fittings
- ✓ Boom Tube

SmartSpray COMPONENTS

- ✓ Boomless Jet
- ✓ Hose
- ✓ Hose Swivels
- ✓ Guns
- ✓ Hose Stoppers
- ✓ Hose Joiners
- ✓ Hose Fittings
- ✓ Antennas
- ✓ Remotes
- ✓ Fire Hose

ELECTRICAL COMPONENTS

- ✓ Electrical Boxes
- ✓ GPS Units
- ✓ Rate Controllers

MISCELLANEOUS

- ✓ Petrol Containers
- ✓ Graytill Hats

